

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023

Print date: 27 Feb 2024

Version: 2



Page 1/11

Supersteam 25I

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Supersteam 25I

Article No.:

X115025

UFI:

DP9G-Y1GF-KAJD-9M95

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Alkaline cleaner, alkaline rim cleaner, prewash in carwash, insect remover

Relevant identified uses:

Product Categories [PC]

PC 35: Washing and cleaning products

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3

4653 Eberstalzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Corr. 1A</i>)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023

Print date: 27 Feb 2024

Version: 2



Page 2/11

Supersteam 25l

Hazard components for labelling:

potassium hydroxide; Sodium metasilicate 5 H₂O; Cocoamidopropyl-Betaine; Isotridecanol, ethoxylated (>5-20 EO)

Hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

Precautionary statements Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Precautionary statements Response

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Precautionary statements Storage

P405 Store locked up.

Precautionary statements Disposal

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

Cleaning agent

Additional information:

Labelling for contents according to regulation (EC) No. 648/2004:

Amphoteric surfactants, non-ionic surfactants, < 5%

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1310-58-3 EC No.: 215-181-3 Index No.: 019-002-00-8 REACH No.: 01-2119487136-33	potassium hydroxide Acute Tox. 4 (H302), Skin Corr. 1A (H314) Danger Specific concentration limit (SCL) Skin Corr. 1A; H314: C ≥ 5% Skin Corr. 1B; H314: 2% ≤ C < 5% Skin Irrit. 2; H315: 0.5% ≤ C < 2% Eye Dam. 1; H318: C ≥ 2% Eye Irrit. 2; H319: 0.5% ≤ C < 2%	2.5 - < 10 Vol-%
CAS No.: 10213-79-3	Sodium metasilicate 5 H₂O Acute Tox. 4 (H302), STOT SE 3 (H335), Skin Corr. 1B (H314) Danger	2.5 - < 10 Vol-%
CAS No.: 61789-40-0 EC No.: 263-058-8	Cocoamidopropyl-Betaine Eye Dam. 1 (H318) Danger	2.5 - < 10 Vol-%
CAS No.: 69011-36-5 EC No.: 500-241-6 REACH No.: 01-2119976362-32	Isotridecanol, ethoxylated (>5-20 EO) Acute Tox. 4 (H302), Eye Dam. 1 (H318) Danger Specific concentration limit (SCL) Eye Dam. 1; H318: C ≥ 10% Eye Irrit. 2; H319: 1% ≤ C < 10%	< 2 Vol-%

Full text of H- and EUH-phrases: see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023

Print date: 27 Feb 2024

Version: 2



Page 3/11

Supersteam 25l

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Immediately remove any contaminated clothing, shoes or stockings.

Following inhalation:

Fresh air supply, consult a doctor in case of complaints.

If unconscious, position and transport in stable lateral position.

In case of skin contact:

Wash with plenty of water and soap.

After eye contact:

Rinse opened eye for several minutes under running water. Consult a doctor if symptoms persist

Following ingestion:

Call a physician immediately. Drink plenty of water. Provide fresh air.

4.2. Most important symptoms and effects, both acute and delayed

Headache, Cough

4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water. Adapt fire extinguishing measures to the surroundings.

5.2. Special hazards arising from the substance or mixture

No further relevant information available.

5.3. Advice for firefighters

Special protective equipment for firefighters: No special measures are necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Special danger of slipping by leaking/spilling product. Provide adequate ventilation. Wear respiratory protection. Wear protective equipment. Keep unprotected persons away.

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of spillage into water or sewage system, inform the competent authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Apply neutralizing agent.

Other information:

Provide adequate ventilation. Dispose of contaminated material as waste according to section 13.

6.4. Reference to other sections

Further information on proper storage: see section 7.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023

Print date: 27 Feb 2024

Version: 2



Page 4/11

Supersteam 25I

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Ensure good ventilation/extraction at the workplace.
Avoid aerosol formation.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Hints on storage assembly:

Do not store together with: alkalines

Further information on storage conditions:

Keep locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from frost.

7.3. Specific end use(s)

Recommendation:

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	① 2 mg/m ³ ⑤ (einatembare Fraktion)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	1 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	1 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No further details. See section 7.

8.2.2. Personal protection equipment



Eye/face protection:

Safety goggles with side shields (EN 166).

Skin protection:

Hand protection:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023

Print date: 27 Feb 2024

Version: 2



Page 5/11

Supersteam 25I

Wear protective gloves.

The glove material must be impermeable and resistant to the product / substance / preparation.

Selection of the glove material considering the breakthrough times, permeation rates and degradation.

Glove material: NBR (Nitrile rubber)

Recommended material thickness: $\geq 0,5$ mm

Permeation time (maximum wear duration): 240 min.

The selection of a suitable glove depends not only on the material but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use.

Respiratory protection:

Respiratory protection is not required if the room is well ventilated.

In case of short-term or low exposure use respiratory filter device; in case of intensive or prolonged exposure use self-contained breathing apparatus.

Other protection measures:

General protective and hygienic measures: Keep away from food, drink and animal feed. Immediately remove any contaminated clothing, shoes or stockings. Wash hands before breaks and after work. Avoid contact with eyes and skin.

8.2.3. Environmental exposure controls

Use a suitable container to prevent environmental pollution.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: dark yellow

Odour: characteristic

Odour threshold: not determined

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	13.5	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	100 °C		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	23 hPa	20 °C	
Vapour density	No data available		
Density	1.15 g/cm ³	20 °C	
Bulk density	not applicable		
Water solubility	Immiscible		
Dynamic viscosity	No data available		
Kinematic viscosity	No data available		

9.2. Other information

The product is not self-igniting. The product is not explosive.

9.2.1. Information with regard to physical hazard classes

Explosives:

Not applicable

Flammable gases:

Not applicable

Aerosols:

Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023

Print date: 27 Feb 2024

Version: 2



Page 6/11

Supersteam 25I

Oxidizing gases:

Not applicable

Gases under pressure:

Not applicable

Flammable liquids:

Not applicable

Flammable solids:

Not applicable

Self-reactive substances and mixtures:

Not applicable

Pyrophoric liquids:

Not applicable

Pyrophoric solids:

Not applicable

Self-heating substances and mixtures:

Not applicable

Substances or mixtures which, in contact with water, emit flammable gases:

Not applicable

Oxidizing liquids:

Not applicable

Oxidizing solids:

Not applicable

Organic peroxides:

Not applicable

Corrosive to metals:

Not applicable

Desensitised explosives:

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

Thermal decomposition / Conditions to avoid: No decomposition when used as directed.

10.3. Possibility of hazardous reactions

Corrosive to metals.

10.4. Conditions to avoid

Do not use as a spray or mist if there is no fresh air or ventilation. For example, in a tank or silo or in other enclosed spaces.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

LD₅₀ oral: 365 mg/kg (Rat)

Sodium metasilicate 5 H₂O CAS No.: 10213-79-3

LD₅₀ oral: 600 - 1,350 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (dust/mist): 2,320 mg/L 4 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023

Print date: 27 Feb 2024

Version: 2



Page 7/11

Supersteam 25l

Cocoamidopropyl-Betaine CAS No.: 61789-40-0 EC No.: 263-058-8

LD₅₀ oral: 5,000 mg/kg (Rat)

LD₅₀ dermal: >2,000 mg/kg (Rat)

Isotridecanol, ethoxylated (>5-20 EO) CAS No.: 69011-36-5 EC No.: 500-241-6

LD₅₀ oral: 300 - 2,000 mg/kg (Rat)

LD₅₀ dermal: >2,000 mg/kg (Rabbit)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

May cause respiratory irritation.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

If swallowed, strong caustic effect of the oral cavity and pharynx as well as danger of perforation of the oesophagus and stomach.

11.2. Information on other hazards

Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

LC₅₀: >100 mg/L 4 d (fish)

Sodium metasilicate 5 H₂O CAS No.: 10213-79-3

EC₅₀: >1,000 mg/L 4 d

LC₅₀: 3,185 mg/L 4 d (fish)

Cocoamidopropyl-Betaine CAS No.: 61789-40-0 EC No.: 263-058-8

EC₅₀: 6.5 mg/L 2 d (crustaceans)

LC₅₀: 2 mg/L 4 d (fish)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023

Print date: 27 Feb 2024

Version: 2



Page 8/11

Supersteam 25l

Isotridecanol, ethoxylated (>5-20 EO) CAS No.: 69011-36-5 EC No.: 500-241-6

LC₅₀: 1 - 10 mg/L 4 d (fish)

EC₅₀: 1 - 10 mg/L 2 d (crustaceans)

EC₅₀: 1 - 10 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)

Aquatic toxicity:

No further relevant information available.

Assessment/classification:

No further relevant information available.

12.2. Persistence and degradability

Additional information:

No further relevant information available.

12.3. Bioaccumulative potential

Accumulation / Evaluation:

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

Results of PBT and vPvB assessment: —

Sodium metasilicate 5 H₂O CAS No.: 10213-79-3

Results of PBT and vPvB assessment: —

Cocoamidopropyl-Betaine CAS No.: 61789-40-0 EC No.: 263-058-8

Results of PBT and vPvB assessment: —

Isotridecanol, ethoxylated (>5-20 EO) CAS No.: 69011-36-5 EC No.: 500-241-6

Results of PBT and vPvB assessment: —

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Drinking water hazard even when small quantities leak into the subsoil.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. into the sewerage system. Flushing away larger quantities into sewers or water bodies can lead to an increase in pH value. A high pH-value damages water organisms. In the dilution of the application concentration, the value is reduced considerably, so that after use of the product the waste water entering the sewage system is only slightly hazardous to water. are only slightly hazardous to water.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Must not be disposed of together with household waste. Do not allow to enter into surface water or drains.

Waste treatment options

Appropriate disposal / Package:

Uncleaned packaging: Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
UN 1719	UN 1719	UN 1719	UN 1719

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023





Print date: 27 Feb 2024

Version: 2



Page 9/11

Supersteam 25l

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.2. UN proper shipping name			
CAUSTIC ALKALI LIQUID, N.O.S. (ammonium hydrogendifluoride, sulphuric acid)	CAUSTIC ALKALI LIQUID, N.O.S. (ammonium hydrogendifluoride, sulphuric acid)	CAUSTIC ALKALI LIQUID, N.O.S. (AMMONIUM HYDROGENDIFLUORIDE, SULPHURIC ACID)	CAUSTIC ALKALI LIQUID, N.O.S. (AMMONIUM HYDROGENDIFLUORIDE, SULPHURIC ACID)
14.3. Transport hazard class(es)			
 8	 8	 8	 8
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
No	No	No	No
14.6. Special precautions for user			
Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Hazard identification number (Kemler No.): 80 Classification code: C5 Tunnel restriction code: (E)	Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Classification code: C5	Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 EmS-No.: F-A, S-B Remark: Maximum net quantity per inner packaging: 30ml Maximum net quantity per outer packaging: 500ml	Special Provisions: A3 Limited quantity (LQ): Y840 Excepted Quantities (EQ): E2

14.7. Maritime transport in bulk according to IMO instruments
not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Directive 2012/18/EU

Named dangerous substances - ANNEX I: None of the ingredients are included.

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023

Print date: 27 Feb 2024

Version: 2



Page 10/11

Supersteam 25l

BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
EN	European Standard
ES	Exposure scenario
EWC	European Waste Catalogue
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
KG	body weight
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PC	Product category
PNEC	Predicted No Effect Concentration
QSAR	Quantitative Structure-Activity Relationship
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
SCL	Specific concentration limit
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations
VOC	Volatile organic compounds
ZNS	central nervous system

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Corr. 1A</i>)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Jun 2023

Print date: 27 Feb 2024

Version: 2



Page 11/11

Supersteam 25I

completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.